

PHOTODOCUMENTATION (ITEM BEING REPLACED)

MANUFACTURER: FOTODYNE INCORPORATED

Manufacturer Model# 1-1435

Manufacturer's PHONE: (262) 369-7000 FAX: (262) 369-7017

Manufacturer's Website: <http://www.fotodyne.com>

AAC 'L' ITEM NSN 6530-01-460-8767

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$1,475.00

System Description: The FOTO/Phoresis UV Transilluminator is ideal for safe visualization and photography of DNA mini-gels without leaving the lab bench. A UV-blocking, safety interlocking cover makes it possible to safely view the gel without the use of UV blocking eyeglasses.

For fool-proof photography, the FOTO/Phoresis is built with an acrylic frame which perfectly positions your gel in the UV light path. This frame also holds the FOTO/Phoresis photographic hood in place. In addition, the acrylic frame has been designed to accommodate a standard, 100 mm Petri dish for GFP plates, UV mutagenesis experiments and other applications.



PHOTODOCUMENTATION SYSTEM UV LIGHT
PART # 1-1435
NSN 6530014608767

PHOTODOCUMENTATION (ITEM BEING REPLACED)
PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	4.25
	Width (Inches)	7.75
	Length (Inches)	11
	Cube (Cubic Feet)	0.2097
	Weight	
Ship Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	11 lbs
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		
Power Requirements	120 VAC, 60 Hz	
Notes		

PHOTODOCUMENTATION (ITEM BEING REPLACED)
ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Fotodyne Incorporated	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6530014608767		Photodocumentation (Item Being Replaced)	1-1435		1	EA	\$1,475.00	\$1,475.00	N/A
		Bulbs, 312nm, 9 watts, bi- pin	11-2122		1	PR	Incl w/NSN 8767	Incl w/NSN 8767	N/A
		Literature, Operator			1	EA	Incl w/NSN 8767	Incl w/NSN 8767	N/A